

Yoshiyuki SATA


Q94347

Filed: April 7, 2006

For: TIRE MANUFACTURING METHOD,
PRESET BEAD...MOLDING SYSTEM

1 of 6

FIG. 1



Yoshiyuki SATA


Q94347

Filed: April 7, 2006

For: TIRE MANUFACTURING METHOD,
PRESET BEAD...MOLDING SYSTEM

2 of 6

FIG. 2



Yoshiyuki SATA

Q94347


Filed: April 7, 2006

For: TIRE MANUFACTURING METHOD,
PRESET BEAD...MOLDING SYSTEM


3 of 6

FIG. 3

(a)



(b)



Yoshiyuki SATA


Q94347

Filed: April 7, 2006

For: TIRE MANUFACTURING METHOD,
PRESET BEAD...MOLDING SYSTEM

4 of 6

FIG. 4



Yoshiyuki SATA


Q94347

Filed: April 7, 2006

For: TIRE MANUFACTURING METHOD,
PRESET BEAD...MOLDING SYSTEM

5 of 6

FIG. 5



Yoshiyuki SATA

Q94347

Filed: April 7, 2006

For: TIRE MANUFACTURING METHOD,
PRESET BEAD...MOLDING SYSTEM

6 of 6

FIG. 6

